

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

Stock Number: EG2050SB Revision Date: 10-08-2019

**Replaces:** 

### 1. Identification

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

Stock Number: EG2050SB

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Motor Oil

**Restrictions on use:** Uses other than those described above

Name, address, and telephone number

Mighty Distributing System of America

of the chemical manufacturer,

650 Engineering Drive

importer, or other responsible party:

Norcross, Georgia 30092

**Phone number:** 1-770-448-3900

E-mail address: Info@mightyautoparts.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Not classified as hazardous under OSHA

Hazards not otherwise classified: No data available

#### 3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
Highly refined synthetic base stocks	No data available	64742-54-7	30 - 60
Residual oils (petroleum), solvent dewaxed	No data available	64742-62-7	15 - 40
Petroleum distillates, hydrotreated heavy paraffinic	No data available	64742-54-7	5 - 10
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	No data available	2215-35-2	0.5 - 1.5
Petroleum distillates, solvent dewaxed heavy paraffinic	No data available	64742-65-0	0.5 - 1.5

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

**Stock Number:** EG2050SB **Revision Date:** 10-08-2019

**Replaces:** 

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

### 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual

administer oxygen.

**Eye Contact:** Flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing, launder

immediately, and discard contaminated leather goods. Get medical

attention immediately.

**Ingestion:** No hazard in normal industrial use. Do not induce vomiting. Seek medical

attention if symptoms develop. Provide medical care provider with this

SDS.

Most important symptoms/effects,

acute and delayed:

Indication of immediate medical

attention and special treatment

needed, if necessary:

No additional first aid information available.

### 5. Fire-fighting measures

#### Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting

fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the

fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

chemical:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

**Hazardous combustion products:** Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

**Stock Number:** EG2050SB **Revision Date:** 10-08-2019

Replaces:

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

Methods and materials for containment and cleaning up:

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

#### 7. Handling and storage

Precautions for safe handling:

Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Empty containers may retain product residues/ vapors. Use proper bonding and grounding during bulk product transfer. Follow all protective equipment recommendations provided in Section 8.

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions:

Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents

#### 8. Exposure controls/personal protection

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

**Stock Number:** EG2050SB **Revision Date:** 10-08-2019

Replaces:

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Highly refined synthetic	5 mg/m3	5 mg/m3	10 mg/m3	No data available
base stocks				
Petroleum distillates,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
hydrotreated heavy				
paraffinic				
Petroleum distillates,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
solvent dewaxed heavy				
paraffinic				

**Appropriate engineering controls:** Use local exhaust ventilation or other engineering controls to minimize

exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

**Respirator Type(s):**None required where adequate ventilation is provided. If airborne

concentrations are above the applicable exposure limits, use

NIOSH/MSHA approved respiratory protection.

**Eye protection:** Wear chemically resistant safety glasses with side shields when handling

this product. Do not wear contact lenses.

**Skin protection:** Avoid skin contact by wearing chemically resistant gloves, an apron and

other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves: Neoprene, Nitrile

**General hygiene conditions:** Follow all protective equipment recommendations provided in Section 8.

### 9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Liquid
Color: Brown

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

**Stock Number:** EG2050SB **Revision Date:** 10-08-2019

**Replaces:** 

Odor: Mild

Odor Threshold: Not determined PH: No data available

Melting point/freezing point:

Melting Point:

Freezing point:

No data available

No data available

Initial boiling point and boiling range

No data available

(°C):

Flash Point (°C): 240

**Evaporation Rate:**No data available **Flammability (solid, gas):**No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive

limits

Lower flammability or explosive

limits:

Not established

Not established

Vapor pressure:No data availableVapor density:No data available

Relative density: 0.88

Solubility(ies):

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

No data available

No data available

No data available

Not determined

Viscosity: 167.5

### 10. Stability and reactivity

**Reactivity:** There are no known reactivity hazards associated with this product.

**Chemical stability:** Stable under normal conditions.

**Possibility of hazardous reactions:** None expected under standard conditions of storage.

**Conditions to avoid (e.g., static discharge, shock, or vibration):**Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.

Moisture (will lead to product performance degradation).

**Incompatible materials:** Strong oxidizing agents

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

**Stock Number:** EG2050SB **Revision Date:** 10-08-2019

**Replaces:** 

Hazardous decomposition products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases,

oxides of phosphorus, Hydrogen sulfide

## 11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Skin contact, Inhalation, Ingestion, Eye contact

Symptoms related to the physical,

chemical and toxicological

characteristics:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

**Ingestion:** No hazard in normal industrial use. Estimated to be > 5.0 g/kg.

**Skin Contact:** This material is estimated to be severely irritating (Primary Irritation

Index is 6.0 - 6.5 [rabbits]).Can cause severe irritation, defatting, and dermatitis. Irritation effects may last for hours or days but will not likely

result in permanent damage.

**Absorption:** Estimated to be > 5.0 g/kg; practically non-toxic

**Inhalation:** No hazard in normal industrial use. Likely to be practically non-toxic

based on animal data.

**Eye Contact:** This material is estimated to be moderately irritating to the eyes (Draize

score is 25 - 50 [rabbits]). Can cause moderate irritation, tearing and

reddening, but not likely to permanently injure eye tissue.

**Sensitization:** Non-hazardous under Respiratory Sensitization category.

Mutagenicity: No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of

<3% PAH's and is not considered a carcinogen by the International

Agency for Research on Cancer.

**STOT-single exposure:**Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

Other information: None known.

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

**Stock Number:** EG2050SB **Revision Date:** 10-08-2019

Replaces:

### Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Zinc 0,0,0',0'-			
tetrakis(1,3-	Oral LD50 Rat 2000 - 5000	Dermal LD50 Rabbit > 3160	
dimethylbutyl)	mg/kg	mg/kg	
bis(phosphorodithioate)			
Petroleum distillates, solvent dewaxed heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	Inhalation LC50 (4h) Rat > 2400 MG/M3
Petroleum distillates, hydrotreated heavy paraffinic	Oral LD50 Rat > 15000 mg/kg	Dermal LD50 Rabbit > 5000 mg/kg	
Residual oils (petroleum),	Oral LD50 Rat > 5000	Dermal LD50 Rabbit > 2000	
solvent dewaxed	mg/kg	mg/kg	
Highly refined synthetic	Oral LD50 Rat > 15000	Dermal LD50 Rabbit > 5000	
base stocks	mg/kg	mg/kg	

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

## 12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

### **Ecological Toxicity Data:**

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	2215-35-2	Aquatic EC50 (48h) Daphnia 4 - 6 mg/L	Aquatic ERC50 (96h) 1 - 5 mg/L	Aquatic LC50 (96h) > 100 mg/L
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	Aquatic EC50 (48h) Daphnia > 1000 mg/L	No data available	Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L
Petroleum distillates, hydrotreated heavy	64742-54-7	Aquatic EC50 (48h) Daphnia > 1000	No data available	Aquatic LC50 (96h) Rainbow Trout >

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

**Stock Number:** EG2050SB **Revision Date:** 10-08-2019

**Replaces:** 

paraffinic		mg/L		5000 mg/L
Residual oils (petroleum),		Aquatic EC50 (48h)		Aquatic LC50 (96h)
solvent dewaxed	64742-62-7	Daphnia > 1000	No data available	Rainbow Trout >
		mg/L		5000 mg/L
Highly refined synthetic		Aquatic EC50 (48h)		Aquatic LC50 (96h)
base stocks	64742-54-7	Daphnia > 1000	No data available	Rainbow Trout >
		mg/L		5000 mg/L

**Persistence and degradability:**Biodegrades slowly.

**Bioaccumulative potential:** Bioconcentration may occur.

**Mobility in soil:** This material is expected to have essentially no mobility in soil. It absorbs

strongly to most soil types.

Other adverse effects (such as

hazardous to the ozone layer):

None known.

### 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated

packaging:

Spent or discarded material is non-hazardous according to environmental regulations.

Recycle containers whenever possible.

### 14. Transport information

**Contaminated packaging:** 

Carriage of dangerous goods by road (DOT), rail or inland waterways:

**DOT Basic Description:**No data available

International carriage of dangerous goods by sea (IMDG/IMO):

**UN number:** Not regulated by IMDG

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

International carriage of dangerous goods by air (IATA):

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

**Stock Number:** EG2050SB **Revision Date:** 10-08-2019

**Replaces:** 

**UN number:** Not regulated by IATA

UN Proper shipping name:

Transport hazard class(es):

Packing group, if applicable:

Not applicable

Not applicable

Environmental hazards (e.g., Marine

pollutant (Yes/No)):

None.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs to be aware of or needs to comply with

in connection with transport or conveyance either within or outside

their premises:

No data available

### 15. Regulatory information

### Safety, health and environmental regulations specific for the product in question:

**TSCA Status:** All components of this material are on the Active US TSCA Inventory or

are exempt.

### **Regulated Components:**

Chemical Name	CAS#	CERCLA	Sara EHS	Sara 313	U.S. HAP
Highly refined	64742-54-7	N	N	N	N
synthetic base stocks	04742-34-7	IN	IN	IN	IN
Residual oils					
(petroleum), solvent	64742-62-7	N	N	N	N
dewaxed					
Petroleum distillates,					
hydrotreated heavy	64742-54-7	N	N	N	N
paraffinic					
Zinc O,O,O',O'-					
tetrakis(1,3-					
dimethylbutyl)	2215-35-2	N	N	N	N
bis(phosphorodithio					
ate)					
Petroleum distillates,		·			
solvent dewaxed	64742-65-0	N	N	N	N
heavy paraffinic					

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

**Stock Number:** EG2050SB **Revision Date:** 10-08-2019

**Replaces:** 

Chemical Name	CAS#	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male	
Highly refined synthetic base stocks	64742-54-7	N	N	N	N	
Residual oils (petroleum), solvent dewaxed	64742-62-7	N	N	N	Z	
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N	
Zinc O,O,O',O'- tetrakis(1,3- dimethylbutyl) bis(phosphorodithio ate)	2215-35-2	N	N	N	N	
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	N	N	N	N	

Chemical Name	CAS#	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Highly refined synthetic base stocks	64742-54-7	N	N	N	N	N
Residual oils (petroleum), solvent dewaxed	64742-62-7	N	N	N	N	N
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	N	N	N	N	N
Zinc O,O,O',O'- tetrakis(1,3- dimethylbutyl) bis(phosphorodithio ate)	2215-35-2	N	N	N	N	N
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	N	N	N	N	N

Product identifier used on the label: ENGINE GUARD 20W50 SB 12/1Q

**Stock Number:** EG2050SB **Revision Date:** 10-08-2019

**Replaces:** 

### 16. Other information, including date of preparation or last revision.

SDS Prepared by: HAZEMS

**Revision Date:** 10-08-2019

Revision Number:

**Reason for revision:** Activated by Document Formulation Generation

**References:**Other Info:
No data available
No data available

**Disclaimer:** This safety data sheet and the information it contains is offered to you in

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents.

No warranty is made, either expressed or implied.