

# Safety Data Sheet

Product identifier used on the label: Engine Guard 5W-20 SB API SN Stock Number: MIPCM014 Revision Date: 10-24-2017 Replaces:

1. Identification		
Product identifier used on the label: Stock Number:	Engine Guard 5W-20 SB API SN EG520SB MIPCM014	
Other means of identification: Synonyms:	No data available	
Recommended use of the chemical and restrictions on use: Recommended use: Motor Oil		
Restrictions on use:	Uses other than those described above	
Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:	Mighty Distributing System of America	
	650 Engineering Drive	
	Norcross, Georgia 30092	
Phone number:	1-770-448-3900	
E-mail address:	Info@mightyautoparts.com	
Emergency phone number:	CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887	

## 2. Hazard(s) identification

## Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification:	Not classified as hazardous under OSHA
Hazards not otherwise classified:	No data available
% unknown toxicity (Inhalation Gas): % unknown toxicity (Inhalation Vapor): % unknown toxicity (Inhalation Dust):	62.990746 % of the mixture consists of ingredient(s) of unknown toxicity. 62.990746 % of the mixture consists of ingredient(s) of unknown toxicity. 62.990746 % of the mixture consists of ingredient(s) of unknown toxicity.

## 3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Lubricating oils, petroleum,	No data available	64742-58-1	30 - 60
hydrotreated spent			
zinc alkyl dithiophosphate	No data available	68649-42-3	1 - 5

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid me	easures
-----------------	---------

Product identifier used on the label: Engine Guard 5W-20 SB API SN Stock Number: MIPCM014 Revision Date: 10-24-2017 Replaces:

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eye Contact:	None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.
Skin Contact:	Wash with soap and water. Seek medical advice if symptoms persist.
Ingestion:	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.
Most important symptoms/effects, acute and delayed:	None Known
Indication of immediate medical attention and special treatment needed, if necessary:	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

#### 5. Fire-fighting measures

IL

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
Unsuitable extinguishing media:	No data available
Specific hazards arising from the chemical:	No data available
Hazardous combustion products:	Carbon monoxide, Smoke, Hydrogen sulfide, Nitrogen containing gases
Special protective equipment and precautions for fire-fighters:	No data available

6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures:	No adverse health affects expected from the clean up of spilled material. Follow personal protective equipment recommendations found in Section 8 of this SDS.
Methods and materials for containment	Prevent the spread of any spill to minimize harm to human health and

Product identifier used on the label: Engine Guard 5W-20 SB API SN Stock Number: MIPCM014 Revision Date: 10-24-2017 Replaces:

and cleaning up:the environment if safe to do so. Wear complete and proper personal<br/>protective equipment following the recommendation of Section 8 at a<br/>minimum. Dike with suitable absorbent material like granulated clay.<br/>Dispose of according to Federal, State, Local, or Provincial regulations.<br/>Used fluid should be disposed of at a recycling center.

7. Handling and storage	
Precautions for safe handling:	No special handling instructions due to toxicity. No data available
Conditions for safe storage, including any incompatibilities: Safe storage conditions:	Store in a cool dry place. Isolate from incompatible materials.
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents

8. Exposure controls/personal protection	

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
Lubricating oils,	5 mg/m3	5 mg/m3	10 mg/m3	No data available
petroleum, hydrotreated				
spent				

Appropriate engineering controls:

**Respiratory Protection:** 

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Respirator Type(s):	None required where adequate ventilation is provided. If airborne
	concentrations are above the applicable exposure limits, use
	NIOSH/MSHA approved respiratory protection.

Product identifier used on the label: Engine Guard 5W-20 SB API SN Stock Number: MIPCM014 Revision Date: 10-24-2017 Replaces:

Eye protection:	No special requirements under normal industrial use.
Skin protection:	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves:	Neoprene, Nitrile
General hygiene conditions:	No data available

## 9. Physical and chemical properties

Appearance (physical state, color etc.):	
Physical state:	Liquid
Color:	Brown
Odor:	Mild
Odor Threshold:	Not determined
pH:	No data available
Melting point/freezing point:	
Melting Point:	No data available
Freezing point:	No data available
Initial boiling point and boiling range (°C):	280
Flash Point (°C):	206
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	= 10
Lower flammability or explosive limits:	= 1
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	0.86
Solubility(ies):	Negligible; 0-1%
Partition coefficient: n-octanol/water:	No data available

Product identifier used on the label: Engine Guard 5W-20 SB API SN Stock Number: MIPCM014 Revision Date: 10-24-2017 Replaces:

Auto-ignition temperature:	No data available
Decomposition Temperature:	Not determined
Viscosity:	52.43
Volatile organic compound (VOC)	0.000000
content and percentage of volatiles:	

#### 10. Stability and reactivity

Reactivity:	
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	None expected under standard conditions of storage.
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	Carbon monoxide, Smoke, Hydrogen sulfide, Nitrogen containing gases

# 11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):	No data available
Symptoms related to the physical, chemical and toxicological characteristics:	None Known
Delayed and immediate effects and also	chronic effects from short- and long-term exposure:
Ingestion Toxicity:	Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.
Skin Contact:	Estimated to be non-irritating to skin (Primary Irritation Index is <0.5 [rabbits]).No hazard in normal industrial use.
Absorption:	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity:	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.

Product identifier used on the label: Engine Guard 5W-20 SB API SN Stock Number: MIPCM014 **Revision Date: 10-24-2017 Replaces:** 

Eye Contact: Sensitization: Mutagenicity: Carcinogenicity:	This material is likely to be non-irritating to eyes based on animal data. No data available No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic. Not expected to cause cancer. This product meets the IP-346 criteria of
	<3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.
Other information:	No data available

## Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Lubricating oils, petroleum, hydrotreated spent	OLD50	Dermal LD50 Rabbit > 4480 mg/kg Dermal LD50 Rat > 2000 mg/kg	

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer.			

## 12. Ecological information

## Ecotoxicity (aquatic and terrestrial, where available):

No data available

## **Ecological Toxicity Data:**

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
zinc alkyl dithiophosphate	68649-42-3	48 HR EC50 DAPHNIA MAGNA 1 - 1.5 mg/L	No data available	96 HR LC50 PIMEPHALES PROMELAS 10 - 35 MG/L [SEMI-

Product identifier used on the label: Engine Guard 5W-20 SB API SN Stock Number: MIPCM014 Revision Date: 10-24-2017 Replaces:

				STATIC]		
				96 HR LC50		
				PIMEPHALES		
				PROMELAS 1 - 5		
				MG/L [STATIC]		
Lubricating oils, petroleum,	64742-58-1	= 22500 mg/L	No data available	Aquatic LC50 (96h)		
hydrotreated spent	017 12 30 1	22300 mg/ L		79.6 mg/L		
Persistence and degradability	: Biodegr	Biodegrades at a moderate rate.				
Bioaccumulative potential:	Biocono	centration may occur.				
Mobility in soil:		terial is expected to ha y to most soil types.	ave essentially no mob	ility in soil. It absorbs		
Other adverse effects (such as hazardous to the ozone layer)		a available				
13. Disposal considerations						
Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated 						
Contaminated packaging:	Recycle	containers whenever	possible.			
14. Transport information						
Carriage of dangerous goods	by road (DOT), rail oi	r inland waterways:				
DOT Basic Description:	Not clas	ssified as hazardous fo	r transport (DOT, TDG,	IMO/IMDG,		
	IATA/IC	AO).				
International carriage of dang	erous goods by sea (	(IMDG/IMO):				
UN number:		Not regulated by IMDG				
UN Proper shipping name:	-	Not applicable				
Transport hazard class(es):	Not app					
• • • • •						
Packing group, if applicable:	Not app	JILADIE				

International carriage of dangerous goods by air (IATA):

Product identifier used on the label: Engine Guard 5W-20 SB API SN Stock Number: MIPCM014 Revision Date: 10-24-2017 Replaces:

UN number: UN Proper shipping name: Transport hazard class(es): Packing group, if applicable:	Not regulated by IATA Not applicable Not applicable Not applicable
Environmental hazards (e.g., Marine pollutant (Yes/No)):	None.
Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	No data available
Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:	No data available

## 15. Regulatory information

## Safety, health and environmental regulations specific for the product in question:

**TSCA Status:** 

All components of this material are on the US TSCA Inventory or are exempt.

## **Regulated Components:**

Chemical Name	CAS #	CERCLA	Sara EHS	Sara 313	U.S. HAP
Lubricating oils,					
petroleum,	64742-58-1	Ν	N	N	N
hydrotreated spent					
Petroleum distillates,					
hydrotreated heavy	64742-54-7	Ν	N	N	N
paraffinic					
zinc alkyl	68649-42-3	N	N	N	N
dithiophosphate	08049-42-5	IN	IN	IN	IN

Chemical Name	CAS #	California Prop 65 - Cancer	California Prop 65 - Dev. Toxicity	California Prop 65 - Reprod fem	California Prop 65 - Reprod male
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Ν	Ν	Ν	Ν
Petroleum distillates,	64742-54-7	N	N	Ν	N

Product identifier used on the label: Engine Guard 5W-20 SB API SN Stock Number: MIPCM014 Revision Date: 10-24-2017 Replaces:

hydrotreated heavy paraffinic					
zinc alkyl dithiophosphate	68649-42-3	Ν	Ν	Ν	Ν

Chemical Name	CAS #	Massachusetts RTK List	New Jersey RTK List	Pennsylvania RTK List	Rhode Island RTK List	Minnesota Hazardous Substance List
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	Ν	Ν	Ν	Ν	Ν
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	Ν	N	N	Ν	Ν
zinc alkyl dithiophosphate	68649-42-3	Ν	Ν	Ν	Ν	Ν

16. Other information, including date of preparation or last revision.			
SDS Prepared by:	CHOLMES		
Revision Date:	10-24-2017		
<b>Revision Number:</b>	5		
Reason for revision:	NEW VERSION		
References:	No data available		
Other Info:	No data available		
Disclaimer:	This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we		

good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.