

Product identifier used on the label: EG 85W140 6/1Q #830 Stock Number: EG85140C Revision Date: 12-13-2019 Replaces:

| 1. Identification | |
|--|---|
| Product identifier used on the label: Stock Number: | EG 85W140 6/1Q #830 EG85140C |
| Other means of identification: Synonyms: | No data available |
| Recommended use of the chemical and re Recommended use: | estrictions on use: Gear Oil |
| Restrictions on use: | Uses other than those described above |
| Name, address, and telephone number | Warren Distribution, Inc. |
| of the chemical manufacturer, importer, or other responsible party: | 950 S. 10th St., Suite 300 |
| | Omaha, NE 68108-3296 |
| Phone number: | +01 (800) 825-1235 +01 (402) 341-9397 |
| E-mail address: Emergency phone number: | sds@wd-wpp.com CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887 |

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

| GHS Classification: | Not classified as hazardous under OSHA |
|-----------------------------------|--|
| Hazards not otherwise classified: | No data available |

3. Composition/information on ingredients

| Chemical Name | Common name and synonyms | CAS # | % |
|-------------------------------|-----------------------------|------------|----------|
| Residual oils (petroleum), | No data available | 64742-62-7 | 80 - 100 |
| solvent dewaxed | | | |
| Petroleum distillates, | No data available | 64742-54-7 | 5 - 10 |
| hydrotreated heavy paraffinic | | | |
| (Z)-Octadec-9-enylamine | No data available | 112-90-3 | 0.1 - 1 |
| Amines, C12-14-tert-alkyl | No data available | 68955-53-3 | 0.1 - 1 |

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Product identifier used on the label: EG 85W140 6/1Q #830 Stock Number: EG85140C Revision Date: 12-13-2019 Replaces:

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

| Inhalation: | Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. |
|---|---|
| Eye Contact: | Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. |
| Skin Contact: | Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists. |
| Ingestion: | No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS. |
| Most important symptoms/effects, acute and delayed: | |
| Indication of immediate medical attention and special treatment needed, if necessary: | No additional first aid information available. |

| 5. | Fire-figl | hting | measures |
|----|------------------|-------|----------|
|----|------------------|-------|----------|

Suitable (and unsuitable) extinguishing media:

| Suitable extinguishing media: | Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid. |
|---|--|
| Unsuitable extinguishing media: | No data available |
| Specific hazards arising from the chemical: | Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire. |
| Hazardous combustion products: | Nitrogen containing gases, Carbon dioxide |
| Special protective equipment and precautions for fire-fighters: | Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire. |

6. Accidental release measures

Product identifier used on the label: EG 85W140 6/1Q #830 Stock Number: EG85140C Revision Date: 12-13-2019 Replaces:

| Personal precautions, protective equipment and emergency procedures: | No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS. |
|--|---|
| Methods and materials for containment and cleaning up: | No special spill clean up considerations. Collect and discard in regular trash. |
| 7. Handling and storage | |
| Precautions for safe handling: | Mildly irritating material. Avoid unnecessary exposure. Follow all protective equipment recommendations provided in Section 8. |
| Conditions for safe storage, including any incompatibilities: Safe storage conditions: | Store in a cool dry place. Isolate from incompatible materials. |
| Materials to Avoid/Chemical Incompatibility: | Acids, Oxidizing materials |

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

| Chemical component | OSHA PEL | ACGIH TLV | ACGIH STEL | IDLH |
|--|----------|-----------|------------|-------------------|
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m3 | 5 mg/m3 | 10 mg/m3 | No data available |

Appropriate engineering controls: Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:Respiratory Protection:Respiratory protection may be required to avoid overexposure when
handling this product. General or local exhaust ventilation is the
preferred means of protection. Use a respirator if general room
ventilation is not available or sufficient to eliminate symptoms.Respirator Type(s):None required where adequate ventilation is provided. If airborne

Eye protection:

concentrations are above the applicable exposure limits, use

Wear chemically resistant safety glasses with side shields when handling

this product. Wear additional eye protection such as chemical splash

NIOSH/MSHA approved respiratory protection.

Product identifier used on the label: EG 85W140 6/1Q #830 Stock Number: EG85140C Revision Date: 12-13-2019 Replaces:

| | goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact lenses. Have an eye wash station available. |
|-----------------------------|---|
| Skin protection: | Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. |
| Gloves: | Neoprene, Nitrile |
| General hygiene conditions: | Follow all protective equipment recommendations provided in Section 8. |

9. Physical and chemical properties

| Appearance (physical state, color etc.): | |
|--|-------------------|
| Physical state: | Liquid |
| Color: | Brown |
| Odor: | Mild |
| Odor Threshold: | Not determined |
| pH: | No data available |
| Melting point/freezing point: | |
| Melting Point: | No data available |
| Freezing point: | No data available |
| Initial boiling point and boiling range (°C): | No data available |
| Flash Point (°C): | 232 |
| Evaporation Rate: | No data available |
| Flammability (solid, gas): | No data available |
| Upper/lower flammability or explosive limits: | |
| Upper flammability or explosive limits: | Not established |
| Lower flammability or explosive limits: | Not established |
| Vapor pressure: | No data available |
| Vapor density: | No data available |
| Relative density: | 0.9 |
| | |

Appearance (physical state, color etc.):

Product identifier used on the label: EG 85W140 6/1Q #830 Stock Number: EG85140C Revision Date: 12-13-2019 Replaces:

| Solubility(ies): | Negligible; 0-1% |
|---|-------------------|
| Partition coefficient: n-octanol/water: | No data available |
| Auto-ignition temperature: | No data available |
| Decomposition Temperature: | Not determined |
| Viscosity: | 388.7 |

10. Stability and reactivity

| Reactivity: Chemical stability: | There are no known reactivity hazards associated with this product. Stable under normal conditions. |
|--|--|
| Possibility of hazardous reactions: | None expected under standard conditions of storage. |
| Conditions to avoid (e.g., static discharge, shock, or vibration): | Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation). |
| Incompatible materials: | Acids, Oxidizing materials |
| Hazardous decomposition products: | Nitrogen containing gases, Carbon dioxide |

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

| Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact): | Skin contact, Inhalation, Ingestion, Eye contact |
|---|---|
| Symptoms related to the physical, chemical and toxicological characteristics: | No data available |
| Delayed and immediate effects and also ch | nronic effects from short- and long-term exposure: |
| Ingestion: | No hazard in normal industrial use. Estimated to be > 5.0 g/kg. |
| Skin Contact: | This material is likely to be moderately irritating to skin based on animal data.Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage. |
| Absorption: | May be harmful in contact with skin. |
| Inhalation: | No hazard in normal industrial use. Likely to be practically non-toxic based on animal data. |
| Eye Contact: | This material is likely to be severely irritating to eyes based on animal |

Product identifier used on the label: EG 85W140 6/1Q #830 Stock Number: EG85140C Revision Date: 12-13-2019 Replaces:

| | data. Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is possible. |
|-------------------------|---|
| Sensitization: | Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer. |
| Mutagenicity: | No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic. |
| Carcinogenicity: | Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer. |
| STOT-single exposure: | Based on available data, the classification criteria are not met. |
| STOT-repeated exposure: | Based on available data, the classification criteria are not met. |
| Aspiration hazard: | Based on available data, the classification criteria are not met. |
| Other information: | None known. |

Numerical measures of toxicity (such as acute toxicity estimates):

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--|--------------------------------|------------------------------------|-----------------|
| Amines, C12-14-tert-alkyl | Oral LD50 Rat 300 mg/kg | Dermal LD50 Rat 251 mg/kg | |
| (Z)-Octadec-9-enylamine | Oral LD50 Rat 1689 mg/kg | | |
| Petroleum distillates, hydrotreated heavy paraffinic | Oral LD50 Rat > 15000 mg/kg | Dermal LD50 Rabbit > 5000 mg/kg | |
| Residual oils (petroleum), solvent dewaxed | Oral LD50 Rat > 5000 mg/kg | Dermal LD50 Rabbit > 2000 mg/kg | |

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

| Chemical Name | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|----------------------------|-----------------|-----------------|----------------|
| There are no components | | | |
| that are known or reported | | | |
| to cause cancer. | | | |

| 12. Ecological information | |
|----------------------------|--|

Product identifier used on the label: EG 85W140 6/1Q #830 Stock Number: EG85140C Revision Date: 12-13-2019 Replaces:

Ecotoxicity (aquatic and terrestrial, where available):

Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

| Chemical Name | CAS # | Aquatic EC50 Crustacea | Aquatic ERC50 Algae | Aquatic LC50 Fish |
|--|------------|--|----------------------------------|--|
| (Z)-Octadec-9-enylamine | 112-90-3 | Aquatic EC50 (48h) Daphnia 0.011 mg/L | Aquatic ERC50 (96h) 0.04 mg/L | Aquatic LC50 (96h) 0.06 mg/L |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | Aquatic EC50 (48h) Daphnia > 1000 mg/L | No data available | Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L |
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | Aquatic EC50 (48h) Daphnia > 1000 mg/L | No data available | Aquatic LC50 (96h) Rainbow Trout > 5000 mg/L |

| Persistence and degradability: | Biodegrades slowly. |
|---|--|
| Bioaccumulative potential: | Bioconcentration may occur. |
| Mobility in soil: | This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types. |
| Other adverse effects (such as hazardous to the ozone layer): | None known. |

13. Disposal considerations

| Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging: | Spent or discarded material is non-hazardous according to environmental regulations. |
|---|--|
| Contaminated packaging: | Recycle containers whenever possible. |
| | Containers of this material may be hazardous when emptied. |

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

DOT Basic Description:

Not regulated for road transport

International carriage of dangerous goods by sea (IMDG/IMO):

Product identifier used on the label: EG 85W140 6/1Q #830 Stock Number: EG85140C Revision Date: 12-13-2019 Replaces:

| UN number: UN Proper shipping name: Transport hazard class(es): Packing group, if applicable: | Not regulated by IMDG Not applicable Not applicable Not applicable |
|---|---|
| International carriage of dangerous good | s by air (IATA): |
| UN number: | Not regulated by IATA |
| UN Proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group, if applicable: | Not applicable |
| Environmental hazards (e.g., Marine pollutant (Yes/No)): | None. |
| Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): | No data available |
| Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises: | No data available |

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the Active US TSCA Inventory or are exempt.

Regulated Components:

| Chemical Name | CAS # | CERCLA | Sara EHS | Sara 313 | U.S. HAP |
|------------------------|------------|--------|----------|----------|----------|
| Residual oils | | | | | |
| (petroleum), solvent | 64742-62-7 | Ν | N | N | N |
| dewaxed | | | | | |
| Petroleum distillates, | | | | | |
| hydrotreated heavy | 64742-54-7 | Ν | N | N | N |
| paraffinic | | | | | |
| (Z)-Octadec-9- | 112-90-3 | N | N | N | N |
| enylamine | 112-90-3 | IN | IN | IN IN | IN IN |
| Amines, C12-14-tert- | 68955-53-3 | Ν | N | Ν | N |

Product identifier used on the label: EG 85W140 6/1Q #830 Stock Number: EG85140C Revision Date: 12-13-2019 Replaces:

| alkyl | | | |
|-------|--|--|--|

| Chemical Name | CAS # | California Prop 65 - Cancer | California Prop 65 - Dev. Toxicity | California Prop 65 - Reprod fem | California Prop 65 - Reprod male |
|--|------------|--------------------------------|---------------------------------------|------------------------------------|-------------------------------------|
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | Ν | N | Ν | Ν |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | Ν | N | N | N |
| (Z)-Octadec-9- enylamine | 112-90-3 | Ν | Ν | Ν | Ν |
| Amines, C12-14-tert- alkyl | 68955-53-3 | Ν | Ν | Ν | Ν |

| Chemical Name | CAS # | Massachusetts RTK List | New Jersey RTK List | Pennsylvania RTK List | Rhode Island RTK List | Minnesota Hazardous Substance List |
|--|------------|---------------------------|------------------------|--------------------------|-----------------------------|---|
| Residual oils (petroleum), solvent dewaxed | 64742-62-7 | Ν | Ν | Ν | Ν | Ν |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | Ν | N | N | N | Ν |
| (Z)-Octadec-9- enylamine | 112-90-3 | Ν | N | Ν | Ν | Ν |
| Amines, C12-14-tert- alkyl | 68955-53-3 | Ν | Ν | Ν | Ν | Ν |

| SDS Prepared by: | HAZEMS |
|-------------------------------------|---|
| Revision Date: | 12-13-2019 |
| Revision Number: | 19 |
| Reason for revision: References: | Activated by Document Formulation Generation No data available |

Product identifier used on the label: EG 85W140 6/1Q #830 Stock Number: EG85140C Revision Date: 12-13-2019 Replaces:

Other Info:

Disclaimer:

No data available

This safety data sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.