Printing date 11.09.2014


Revision: 11.09.2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>Bead Bustr</u>
 Article number: 14-771, 14-772, 14-773 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 • 1.3 Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier: 31 Incorporated 100 Enterprise Dr. Newcomerstown, OH 43832 Phone: (740) 498-8324
1.4 Emergency telephone number:
ChemTel Inc. (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 flame
Flam. Liq. 3 H226 Flammable liquid and vapour.
health hazard
Carc. 2 H351 Suspected of causing cancer.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
Acute Tox. 4 H332 Harmful if inhaled.
Skin Irrit. 2 H315 Causes skin irritation.
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful
R20/21-65: Harmful by inhalation and in contact with skin. Harmful: may cause lung damage if swallowed.
Xi; Irritant
R38: Irritating to skin.
R10: Flammable. (Contd. on page 2)

GHS

Revision: 11.09.2014

Printing date 11.09.2014



(Contd. on page 3)

Printing date 11.09.2014

Revision: 11.09.2014

Trade name: Bead Bustr (Contd. of page 2) · NFPA ratings (scale 0 - 4) Health = 2 Fire = 2Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH *2 Health = *2 ² Fire = 2 FIRE REACTIVITY O Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. · HMIS Long Term Health Hazard Substances 64742-88-7 Solvent naphtha (petroleum), medium aliph. 100-41-4 ethylbenzene 2.3 Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: 50-100% xylenes 🗙 Xn R20/21; 🗙 Xi R38; 🔥 F R11 🚸 Flam. Liq. 2, H225 Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315 CAS: 64742-88-7 Solvent naphtha (petroleum), medium aliph. 25-50% 🗙 Xn R65 EINECS: 265-191-7

 EINECS: 265-191-7 Index number: 649-405-00-X
 Xn R65

 CAS: 100-41-4 EINECS: 202-849-4 Index number: 601-023-00-4
 ethylbenzene
 5-10%

 Xn R48/20-65;
 F R11
 5-10%

 Xn R48/20-65;
 F R12
 5-10%

 Xn R48/20-65;
 F F R11
 5-10%

 Yes
 Carc. 2, H351; STOT RE 2, H373; Asp. Tox. 1, H304
 5-10%

 Yes
 Acute Tox. 4, H332
 5

 Aquatic Chronic 3, H412
 7
 5

 Yes
 Yes
 7

 Yes
 Yes
 7

 Yes
 Yes
 7

 Yes
 Yes
 7

 <td

(Contd. on page 4)

GHS

Printing date 11.09.2014

Revision: 11.09.2014

Trade name: Bead Bustr

(Contd. of page 3)

SECTION 4: First aid measures

· 4.1 Description of first aid measures · General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Take affected persons out into the fresh air. After inhalation: Supply fresh air: consult doctor in case of complaints. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration. In case of unconsciousness place patient stably in side position for transportation. • After skin contact: Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor, · After eve contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. A person vomiting while laying on their back should be turned onto their side. Do not induce vomiting; call for medical help immediately. • 4.2 Most important symptoms and effects, both acute and delayed Coughing Dizziness Nausea in case of ingestion. Gastric or intestinal disorders when ingested. Breathing difficulty Irritant to skin and mucous membranes. Slight irritant effect on eyes. Hazards Danger of pulmonary oedema. Vapours may cause drowsiness and dizziness. May be harmful in contact with skin. Danger of impaired breathing. Carcinogenic. Harmful if inhaled. Repeated exposure may cause skin dryness or cracking. 4.3 Indication of any immediate medical attention and special treatment needed If swallowed, gastric irrigation with added, activated carbon. If swallowed or in case of vomiting, danger of entering the lungs.

Later observation for pneumonia and pulmonary oedema.

If necessary oxygen respiration treatment.

(Contd. on page 5)

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date 11.09.2014

Revision: 11.09.2014

Trade name: Bead Bustr

(Contd. of page 4)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

• For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

• 5.3 Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

• Additional information Eliminate all ignition sources if safe to do so.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Protect from heat.

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

When heated the product forms flammable fumes.

(Contd. on page 6)

GHS

Printing date 11.09.2014

Trade name: Bead Bustr

	(Contd. of page 5)
• 7.2 Conditions for safe storage, including any incompatibilities	
· Storage:	
 Requirements to be met by storerooms and receptacles: 	
Provide ventilation for receptacles.	
Store in a cool location.	
Avoid storage near extreme heat, ignition sources or open flame.	
Information about storage in one common storage facility:	
Store away from foodstuffs.	
Store away from oxidizing agents.	
Do not store together with alkalis (caustic solutions).	
Do not store together with acids.	
· Further information about storage conditions:	
Store in cool, dry conditions in well sealed receptacles.	
Keep container tightly sealed.	
7.3 Specific end use(s) No further relevant information available.	

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control p	parameters	
· Ingredients v	with limit values that require monitoring at the workplace:	
xylenes		
IOELV (EU)	Short-term value: 442 mg/m³, 100 ppm Long-term value: 221 mg/m³, 50 ppm Skin	
PEL (USA)	Long-term value: 435 mg/m ³ , 100 ppm	
REL (USA)	Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm	
TLV (USA)	Short-term value: 651 mg/m³, 150 ppm Long-term value: 434 mg/m³, 100 ppm BEI	
EL (Canada)	Short-term value: 150 ppm Long-term value: 100 ppm	
EV (Canada)) Short-term value: 650 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm	
100-41-4 ethy	ylbenzene	
IOELV (EU)	Short-term value: 884 mg/m³, 200 ppm Long-term value: 442 mg/m³, 100 ppm Skin	
PEL (USA)	Long-term value: 435 mg/m³, 100 ppm	
L	(Co	ontd. on page 7)

Revision: 11.09.2014

Printing date 11.09.2014

Revision: 11.09.2014

Trade name: Bead Bustr

	(Orable of a second
REL (USA)	(Contd. of page) Short-term value: 545 mg/m³, 125 ppm
()	Long-term value: 435 mg/m ³ , 100 ppm
TLV (USA)	Short-term value: 543 mg/m ³ , 125 ppm
	Long-term value: 87 mg/m³, 20 ppm
	BEI
EL (Canada)	Long-term value: 20 ppm IARC 2B
EV (Canada)	Short-term value: 540 mg/m³, 125 ppm Long-term value: 435 mg/m³, 100 ppm
· DNELs No fu	rther relevant information available.
· PNECs No fu	rther relevant information available.
· Ingredients	with biological limit values:
xylenes	
BEI (USA) 1,	5 g/g creatinine
	edium: urine
	me: end of shift arameter: Methylhippuric acids
100-41-4 eth	· · · ·
	•
	7 g/g creatinine edium: urine
	me: end of shift at end of workweek
	arameter: Sum of mandelic acid and phenylglyoxylic acid (nonspecific, semi-quantitative)
-	
	edium: end-exhaled air me: not critical
	arameter: Ethyl benzene (semi-quantitative)
	formation: The lists valid during the making were used as basis.
· 8.2 Exposure	
	ntective equipment: ective and hygienic measures:
	ecautionary measures are to be adhered to when handling chemicals.
	om foodstuffs, beverages and feed.
	emove all soiled and contaminated clothing.
	before breaks and at the end of work.
	gases / fumes / aerosols.
	with the eyes and skin.
· Respiratory	
	respiratory protective device in case of insufficient ventilation. respiratory protective device when high concentrations are present.
USE SUILADIE	respiratory protective device when aerosol or mist is formed.
Use suitable	
	piratory protection may be advisable.

Printing date 11.09.2014

Revision: 11.09.2014

Trade name: Bead Bustr

(Contd. of page 7)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

- · Body protection: Solvent resistant protective clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties

· Appearance:	
Form:	Liquid
Colour:	Light
· Odour:	Odourless
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Not Determined.
Boiling point/Boiling range:	277 °F /136 °C
· Flash point:	106 °F / 41 °C
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	527 °F / /265 °C

(Contd. on page 9)

GHS

Printing date 11.09.2014

Revision: 11.09.2014

	(Contd. of page 8)
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
Explosion limits: Lower: Upper:	0,6 Vol % 6,5 Vol %
Vapour pressure at 20 °C:	6,6 hPa
Density: Relative density Vapour density Evaporation rate	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water)	: Not determined.
Viscosity: Dynamic: Kinematic: 9.2 Other information	Not determined. Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: Keep away from heat and direct sunlight.

10.3 Possibility of hazardous reactions

Flammable.

Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised. Reacts violently with oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

Keep away from heat and direct sunlight.

10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. on page 10)

Printing date 11.09.2014

Revision: 11.09.2014

Trade name: Bead Bustr

(Contd. of page 9)

LD/LC50	icity: values re	levant for classification:
xylenes		
Oral	LD50	4300 mg/kg (rat)
Dermal	LD50	2000 mg/kg (rabbit)
64742-88-	7 Solven	t naphtha (petroleum), medium aliph.
Oral	LD50	>6500 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rab)
Inhalative	LC50/4h	>14 mg/l (rat)
The produ Classificat Harmful Irritant Suspected Inhalation headache. Acute effe Harmful if Harmful if May be ha Vapours h	uct show ion Guide of causin of conce dizzinese ects (acu inhaled. swallowe irmful in c ave narco rough skii	entrated vapours as well as oral intake will lead to anaesthesia-like conditions a s, etc. te toxicity, irritation and corrosivity): d. contact with skin.

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 11)

Printing date 11.09.2014

Revision: 11.09.2014

Trade name: Bead Bustr

(Contd. of page 10)

Do not allow product to reach ground water, water course or sewage system, even in small quantities. This statement was deduced from the properties of the single components.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport inform	ιαιινιι
14.1 UN-Number	
DOT	Not Regulated Classified as combustible under US DOT regulations Labeling required for single packages ≥119 US gal 450 L to include Combustible symbol and Proper Shipping Name.
ADR, IMDG, IATA	UN1993
14.2 UN proper shipping name	
DOT	Not Regulated
ADR	1993 FLAMMABLE LIQUID, N.O.S. (XYLENES TURPENTINE SUBSTITUTE)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (XYLENES TURPENTINE SUBSTITUTE)
14.3 Transport hazard class(es)	
DOT	
Class	Not Regulated
	(Contd. on page 12

Printing date 11.09.2014

Revision: 11.09.2014

(Contd. of page 11) • ADR • Class • Class • Label • IMDG, IATA • Class • Class • Class • Class • Class • Sample liquids. • Sample liquids. • Sample liquids. • Sample liquids. • Sample liquids. • Sample liquids.
 Class Class Label IMDG, IATA IMDG
· Label 3
· Label 3
· Label 3
Class 3 Elammable liquids
Class 3 Elammable liquide
· Label 3
· 14.4 Packing group
· DOT Not Regulated
· ADR, IMDG, IATA III
14.5 Environmental hazards:
Marine pollutant: No
• 14.6 Special precautions for user Warning: Flammable liquids.
Danger code (Kemler): 30 EMS Number: F-E.S-E
 • EMS Number: F-E,<u>S-E</u> • 14.7 Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code Not applicable.
· Transport/Additional information:
· ADR
Limited quantities (LQ) 5L
• Transport category 3
• Tunnel restriction code D/E
· UN "Model Regulation":UN1993, FLAMMABLE LIQUID, N.O.S. (XYLENES, TURPENTINE SUBSTITUTE), 3, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • United States (USA)

· SARA

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

xylenes

100-41-4 ethylbenzene

(Contd. on page 13)

Printing date 11.09.2014

Revision: 11.09.2014

Trade name: Bead Bustr

	(Contd. of page 1
• TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
Chemicals known to cause cancer:	
100-41-4 ethylbenzene	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
xylenes	
100-41-4 ethylbenzene	C
· IARC (International Agency for Research on Cancer)	
xylenes	3
100-41-4 ethylbenzene	2E
· TLV (Threshold Limit Value established by ACGIH)	
xylenes	A4
100-41-4 ethylbenzene	A3
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
100-41-4 ethylbenzene	
Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	
 Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled and the SDS contains all the information required by the Controlled Products Regulat 	
Substances of very high concern (SVHC) according to REACH, Article 57	
None of the ingredients is listed.	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been ca	arried out.

(Contd. on page 14)

Printing date 11.09.2014

Revision: 11.09.2014

Trade name: Bead Bustr

(Contd. of page 13)

SEC	SECTION 16: Other information	
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.		
Relev H225 H226 H304 H312 H315 H332 H351 H373 H412	May be fatal if swallowed and enters airways. Harmful in contact with skin. Causes skin irritation. Harmful if inhaled. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.	
R38	Highly flammable. 1 Harmful by inhalation and in contact with skin. Irritating to skin. 0 Harmful: danger of serious damage to health by prolonged exposure through inhalation. Harmful: may cause lung damage if swallowed.	
 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Information System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Concentration (REACH) LCS0: Lethal concentration, 50 percent LBam. Liq, 2: Flammable liquids, Hazard Category 2 Flam. Liq, 3: Flammable liquids, Hazard Category 4 Skin Intri. 2: Skin corrosion/irritation, Hazard Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 2 StoT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 3 Sources SDS Prepared by: Chem Tel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America. 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com 		