

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 04/22/2020 Version: 1.0

	Issue date: 04/22/2020 Version: 1.0
SECTION 1: Identification	
1.1. Identification	
Trade name	: 67237 70% Isopropyl Alcohol Multi-Surface Sanitizer 32oz Sprayer
CAS-No.	: 67-63-0
Product code	: 67237
1.2. Recommended use and res	strictions on use
Use of the substance/mixture	: Multi-Surface Sanitizer
1.3. Supplier	
TSI Supercool 3574 Corona Street Lake Worth, Florida 33461 - USA T 561-582-2245 - F 561-582-1499 <u>www.supercool.ac</u> Contact:Paul J. Erdek	
1.4. Emergency telephone num	ber
Emergency number	: USA PHONE:1-800-373-7542, INT'L: 1-484-951-2432 DGA/AAG ENVIRONMENTAL CONTRACT: DGA4000-048
SECTION 2: Hazard(s) identif	ication
2.1. Classification of the substa	ance or mixture
GHS US classification	
Flammable liquids Category 2 Serious eye damage/eye irritation Cate Specific target organ toxicity (single ex	
Full text of H statements : see section	
2.2. GHS Label elements, inclue GHS US labeling	ding precautionary statements
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: H225 - Highly flammable liquid and vapour H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness
Precautionary statements (GHS US)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground/Bond container and receiving equipment.</li> <li>P241 - Use explosion-proof electrical/ventilating/lighting equipment.</li> <li>P242 - Use only non-sparking tools.</li> <li>P243 - Take precautionary measures against static discharge.</li> <li>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.</li> <li>P312 - Call a poison center or doctor if you feel unwell.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> <li>P370+P378 - In case of fire: Use media other than water to extinguish.</li> <li>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.</li> </ul>
05/01/2020	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

### No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

- 3.1. Substances
- Not applicable
- 3.2. Mixtures

Name	Product identifier	%	GHS US classification
2-propanol	(CAS-No.) 67-63-0	68 – 72	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	<ul> <li>Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).</li> </ul>
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effects	s (acute and delayed)
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Immediate medical attention and spec	cial treatment, if necessary
No additional information available	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	ng media
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Specific hazards arising from the che	mical
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
5.3. Special protective equipment and pre	cautions for fire-fighters
Firefighting instructions	<ul> <li>Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.</li> </ul>
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measure	Ires
6.1. Personal precautions, protective equi	pment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations			
6.1.2. For emergency responders Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Ventilate area.</li></ul>		
6.2. Environmental precautions			
Avoid release to the environment. Prevent entry to	o sewers and public waters. Notify authorities if liquid enters sewers or public waters.		
6.3. Methods and material for containment	nt and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		
6.4. Reference to other sections			
See Heading 8. Exposure controls and personal protection.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable.		
Precautions for safe handling	<ul> <li>No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.</li> <li>Provide good ventilation in process area to prevent formation of vapor.</li> </ul>		
7.2. Conditions for safe storage, includin	g any incompatibilities		
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment.		
Storage conditions	: Store in original container. Keep container closed when not in use. Keep in fireproof place. Heat sources. Direct sunlight. Keep away from ignition sources.		
Incompatible products	: Strong bases. Strong acids.		
Incompatible materials	: Heat sources. Sources of ignition. Direct sunlight.		

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. **Control parameters**

67237 70% Isopropyl Alcohol Multi-Surface Sanitizer 32oz Sprayer (67-63-0)		
No additional information available		
2-propanol (67-63-0)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (ppm)	200 ppm	
ACGIH STEL (ppm)	400 ppm	

#### 8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

### Hand protection:

The use of gloves impervious to the specific material handled is advised to prevent skin contact. Suggested protective material: Nitrile, 4.5 mil thickness, tested at 3.5 ml and above with no breakthrough time after 240 minutes.

#### Eye protection:

Chemical goggles or safety glasses

#### **Respiratory protection:**

Where there is potential for airborne exposure above the exposure limit an approved air purifying respirator equipped with Type P2 - Medium efficiency particle filters may be used.

### Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday,	March 20, 2012 / Rules and Regulations		
<b>SECTION 9: Physical and chemical p</b>	SECTION 9: Physical and chemical properties		
1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Clear.		
Color	: Colorless.		
Odor	: Characteristic.		
Odor threshold	: No data available		
pH	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: 82 °C		
Flash point	: 18 °C		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: Highly flammable liquid and vapour.		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: No data available		
Relative density	: No data available		
Specific gravity / density	: 0.845 – 0.855 g/ml		
Solubility	: Unknown.		
Partition coefficient n-octanol/water (Log Pow)	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosion limits	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
9.2. Other information			
VOC content	: 100 %		
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability	10.2. Chemical stability		
Highly flammable liquid and vapour. May form fla	ammable/explosive vapor-air mixture.		
40.2 Describility of herendevic reactions			

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information			
11.1.	Information on toxicological	effects	
Acute to	oxicity (oral)	:	Not classified
Acute to	oxicity (dermal)	:	Not classified
Acute to	oxicity (inhalation)	:	Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)			
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))		
LD50 dermal rabbit	16400 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))		
LC50 inhalation rat (ppm)	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value Inhalation (vapours), 14 day(s))		
ATE US (oral)	5840 mg/kg body weight		
ATE US (dermal)	16400 mg/kg body weight		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Reproductive toxicity	: Not classified		
STOT-single exposure	: May cause drowsiness or dizziness.		
2-propanol (67-63-0)			
STOT-single exposure	May cause drowsiness or dizziness.		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: Not classified		
Viscosity, kinematic	: No data available		
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.		
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.		

12.1. Toxicity	
Ecology - water	: Toxic to aquatic life.
2-propanol (67-63-0)	
LC50 fish 1	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value, Lethal)
12.2. Persistence and degrada	bility

67237 70% Isopropyl Alcohol Multi-Surface Sanitizer 32oz Sprayer (67-63-0)		
Persistence and degradability	rsistence and degradability Not established.	
2-propanol (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance	
ThOD	2.4 g O <sub>2</sub> /g substance	
12.3. Bioaccumulative potential		
67237 70% Isopropyl Alcohol Multi-Surfa	ace Sanitizer 32oz Sprayer (67-63-0)	
Bioaccumulative potential	Not established.	

Biodoodinaidaivo potontiai	Hot ostabilotica.
2-propanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	

2-propanol (67-63-0)	
Surface tension	0.021 N/m (25 °C)
Partition coefficient n-octanol/water (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-propanol (67-63-0)					
Ecology - soil		Highly mobile in soil.			
12.5.	Other adverse effects				

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations						
13.1. Disposal methods						
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.					
Additional information	: Handle empty containers with care because residual vapors are flammable.					
Ecology - waste materials	: Avoid release to the environment.					
SECTION 14: Transport information						

### Department of Transportation (DOT)

In accordance with DOT

Proper Shipping Name (DOT) Class (DOT) Packing group (DOT) Hazard labels (DOT) : Isopropyl Alcohol

- : 3 Class 3 Flammable and combustible liquid 49 CFR 173.120
- : II Medium Danger
- : 3 Flammable liquid



Other information

### Transportation of Dangerous Goods

Transport document description UN-No. (TDG) Proper Shipping Name (Transportation of Dangerous Goods) TDG Primary Hazard Classes Packing group

### Transport by sea

Not applicable

### Air transport

Not applicable

# SECTION 15: Regulatory information 15.1. US Federal regulations

No additional information available

15.2. International regulations

### CANADA

### **EU-Regulations**

National regulations No additional information available

### : 1219 Isopropyl Alcohol, 3, II

- : 1219
- : Isopropyl Alcohol
- : 3 Class 3 Flammable Liquids

: No supplementary information available.

: II - Medium Danger

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

### **SECTION 16: Other information**

according to Federal Register / Vol.	1 77 No 58 / Monday	March 26, 2012	/ Pulos and Pogulations
according to rederar Negister / vor.	1. 77, NO. 307 MONUAY	, March 20, 2012	/ INUICS and INCYULATIONS

Other information

: None.

### Full text of H-phrases: see section 16:

Highly flammable liquid and vapour		
Causes serious eye irritation		
May cause drowsiness or dizziness		
: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.		
: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.		
: 0 - Material that in themselves are normally stable, even under fire conditions.		
: 2 Moderate Hazard - Temporary or minor injury may occur		
3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)		
<ul> <li>0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will N react with water, polymerize, decompose, condense, or self-react. Non-Explosives.</li> </ul>		

SDS US (GHS HazCom 2012)

This information is furnished without warranty, expressed or implied, except that is accurate to the best knowledge of Tire Seal, Inc. The data on this sheet related only to the specific material designed herein. Tire Seal, Inc. assumes no legal responsibility for the use or reliance upon these data.