



SAFETY DATA SHEET

Section 1: Identification

Product Name: Mighty All Over Protectant
Product Code: CW6000
Product Class: Polymeric Protectant
Manufacturer/Supplier: Mighty Distributing System of America
650 Engineering Drive
Norcross, GA 30092
Telephone: 800-829-3900
Emergency Telephone: CHEMTREC 800-424-9300

Date Prepared: August 16, 2016
Date of Review/Update:

Section 2: Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Aspiration Toxicity 1, Eye and Skin Irritant 2b,
Signal Word: Danger

GHS Hazard Statements:

H304 May be fatal if swallowed and enters airways
H316 Causes mild skin irritation
H320 Causes eye irritation
H373 May cause damage to liver, kidneys or blood prolonged or repeated exposure.

GHS Precautionary Statements:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing vapors.
P264 Wash hands thoroughly after handling.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331 Do NOT induce vomiting.
P501 Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national and international regulations.

Signs and Symptoms of Exposure:

Eye: Irritation including tearing or redness.
Skin: Prolonged skin contact may cause irritation including redness, irritation, itching.
Ingestion: Gastrointestinal irritation, nausea, vomiting, and diarrhea, upset stomach.
Inhalation: Not a likely route of exposure, but if over-inhalation occurs symptoms would include nose, throat, respiratory irritation.
Medical Conditions Aggravated by Exposure: None known.

HMIS Rating: Health- 1 Fire- 1 Reactivity- 0 Personal Protection- C
0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

Section 3: Composition/Information on Ingredients

| <u>Chemical Name</u> | <u>CAS Number</u> | <u>% Range</u> | <u>OSHA PEL</u> | <u>ACGHI TLV</u> |
|------------------------------|-------------------|----------------|-----------------|------------------|
| Petroleum Distillates | 64741-44-2 | 10-20 | Not Established | Not Established |
| 2-Butoxyethanol | 111-76-2 | 1-5 | Skin - 50ppm | Skin - 20ppm |
| Quaternary Ammonium Compound | 61789-77-3 | 10-20 | Not Established | Not Established |
| Amines, Alkyl, Ethoxylated | 68155-39-5 | 1-10 | Not Established | Not Established |

Section 4: First Aid Measures

Eye Contact: Flush with large amounts of water for 15 minutes. If symptoms persist, seek medical attention.
Skin Contact: Wash affected area with water for 15 minutes. Remove contaminated clothing and launder before reuse.
Ingestion: Never give anything by mouth to an unconscious person. If person is conscious then give several glasses of water. Do not induce vomiting. Keep warm and quiet. Seek medical attention.
Inhalation: Remove from exposure. Seek fresh air. Keep warm and quiet. If symptoms persist seek medical attention.

Section 5: Fire-Fighting Measures

Fire and Explosive Properties: Flash Point: 240°F / COC Flammable Limits: LEL / UEL: Unknown
Extinguishing Media: Water fog, dry chemicals or carbon dioxide.
Special Fire Fighting Procedures: Full protective equipment including self contained breathing apparatus for confined areas.
Unusual Fire And Explosion Hazards: Vapors are heavier than air. Treat as petroleum fire.

Section 6: Accidental Release Measures

Steps to be taken if Material is Spilled or Leaked: Remove all sources of ignition. Contain spill. Ventilate and remove with inert absorbent.

Section 7: Handling and Storage

Precautions to be taken in Handling and Storage:

Contents may burn. Keep away from any heat or spark source. Do not smoke. Empty containers can contain explosive vapors. Never use a torch to cut or weld on or near container. Never wear oil soaked clothing. Launder or dry-clean before wearing. Discard oil soaked shoes. Affix proper warning labels on containers in accordance with 29CFR 1010.1200.

Section 8: Exposure Controls and Personal Protection

Ventilation: Use only with adequate ventilation. Avoid breathing vapor or mist. Local exhaust preferred.
Respirator Protection: Properly fitted NIOSH/MSHA approved respirator for ingredients found in SECTION 3 if TLV is exceeded.
Skin Protection: Gloves rated for protection against ingredients in SECTION 3.
Eye Protection: Safety glasses with side shields or chemical goggles.

Section 9: Physical and Chemical Properties

| | | | |
|-------------------|---------------------------------------|-------------------------------|----------------|
| Boiling Point: | 212°F | Vapor Pressure (mmHg @ 68°F): | Unknown |
| Vapor Density: | >1 (Air=1) | Solubility in Water: | Complete |
| Specific Gravity: | 0.99 ± 0.05 | Melting Point: | Not Applicable |
| % Volatile: | 80.0 ± 0.5 | pH: | Not Applicable |
| Appearance/Odor: | Brown/Orange Thin Liquid, Banana Odor | | |

Section 10: Stability and Reactivity

Stability: Stable
Hazardous Polymerization: Will not occur.
Hazardous Decomposition Products: Various hydrocarbons of incomplete combustion.
Materials to Avoid: Strong oxidizers
Conditions to Avoid: Open flames, sources of ignition.

Section 11: Toxicology Information

IARC, NTP, OSHA Carcinogen: No known carcinogenic effects towards humans.

Section 12: Ecological Information

No data

Section 13: Disposal Considerations

Waste Disposal: Dispose of in accordance with federal, state and local regulations.

Section 14: Transport Information

D.O.T. REQUIREMENTS (49CFR 172.101): Not regulated

Section 15: Regulatory Information

| | |
|--|---|
| RQ (REPORTABLE QUANTITY) 49CFR 172.101: | None |
| TSCA (Toxic Substances Control Act) Status: | The intentional ingredients of this product are listed. |
| CERCLA RQ - 40CFR 302.4: | None |
| SARA 302 COMPONENTS - 40CFR 355 Appendix A: | None |
| <u>SECTION 311/312 HAZARD CLASS - 40CFR 370.2</u> | |
| Immediate (X) | Reactive () |
| Delayed (X) | Sudden Release of Pressure () |
| Fire (X) | |

SARA 313 COMPONENTS - 40CFR 372.65:

| <u>Component</u> | <u>CAS #</u> | <u>Max % By Weight</u> |
|--------------------------------|--------------|------------------------|
| Glycol Ether (2-Butoxyethanol) | 111-76-2 | 1-5 |

WORKPLACE HAZARDOUS INFORMATION SYSTEM (WHMIS)

| <u>Ingredient</u> | <u>Max. % By Wt.</u> | <u>LD50</u> | <u>LC50</u> |
|------------------------------|----------------------|-------------|--------------------------|
| Petroleum Distillates | 64741-44-2 | 10-20 | Inhal Rat - 1700mg/m3/4H |
| 2-Butoxyethanol | 111-76-2 | 1-5 | Inhal Rat - 450ppm/4H |
| Quaternary Ammonium Compound | 61789-77-3 | 10-20 | Not Established |
| Amines, Alkyl, Ethoxylated | 68155-39-5 | 1-10 | Not Established |

CALIFORNIA PROPOSITION 65: None

Section 16: Other Information

Although the information contained herein is believed to be reliable, it is furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage.