

# SAFETY DATA SHEET

#### Section 1: Identification

Product Name: Mighty Swirl Remover/Polish Product Code: DL6005 Product Class: Body Shop Safe Automotive Wax/Polish Manufacturer/Supplier: Mighty Distributing System of America 650 Engineering Drive Norcross, GA 30092 Telephone: 800-829-3900 Emergency Telephone: CHEMTREC 800-424-9300

Date Prepared: Date of Review/Update: October 4, 2015

#### Section 2: Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard Symbols:



GHS Classification: Signal Word: Flammable Liquid 3, Aspiration Toxicity 1, Eye and Skin Irritant 2b, Danger

<u>GHS Hazard Statements:</u> H226 Flammable liquid and vapor H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H320 Causes eye irritation

**GHS Precautionary Statements:** 

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P331 Do NOT induce vomiting.

P370 + P378 In case of fire: See Section 5 for extinguishing media.

P501 Dispose of contents/container to appropriate waste disposal facility, in accordance with local, regional, national and international regulations.

#### Signs and Symptoms of Exposure:

Eye:Irritation including tearing or redness.Skin:Prolonged skin contact may cause irritation including redness, irritation, itching.Ingestion:Gastrointestinal irritation, nausea, vomiting, and diarrhea, upset stomach.Inhalation:May cause allergy or asthma symptoms or breathing difficulties if inhaled..Medical ConditionsAggravated by Exposure: None known.HMIS Rating:Health-1Fire-0Reactivity-0Personal Protection- C

#### Section 3: Composition/Information on Ingredients

Chemical Name	CAS Number	<u>% Range</u>	OSHA PEL	ACGHI TLV
Mineral Spirits	64475-85-0	15-20	100ppm	100ppm
Distillates (petroleum) Hydro Treated Light	64742-47-8	5-10	Not Available	Not Available
Odorless Mineral Spirits	64742-48-9	1-5	Not Available	Not Available
Amorphous Silica	61790-53-2	10-15	Not Available	Not Available

#### Section 4: First Aid Measures

Eye Contact:Flush with large amounts of water for 15 minutes. If symptoms persist, seek medical attention.Skin Contact:Wash affected area with water for 15 minutes. Remove contaminated clothing and launder before reuse.

Ingestion: Never give anything by mouth to an unconscious person. If person is conscious then give several glasses of water. Do not induce vomiting. Keep warm and quiet. Seek medical attention. Inhalation: Remove from exposure. Seek fresh air. Keep warm and quiet. If symptoms persist seek medical attention.

Section 5: Fire-Fighting Measures

 Fire and Explosive Properties:
 Flash Point: ~ 40°C TCC
 Flammable Limits:
 LEL / UEL:
 Not Available

 Extinguishing Media:
 Water, foam, dry chemical or carbon dioxide extinguisher

 Protective Equipment:
 Not Available.

#### Section 6: Accidental Release Measures

Steps to be taken if Material is Spilled or Leaked:

Shut off leak if safe to do so. Contain material to avoid run off and collect spill with absorbent. Proper disposal of absorbent is required after use. Avoid runoff into storm sewers and ditches which lead to waterways.

# Section 7: Handling and Storage

Precautions to be taken in Handling and Storage: Keep out of reach of Children. Do not allow to freeze. Store between (35°F) Minimum to (95°F) Maximum.

# Section 8: Exposure Controls and Personal Protection

Ventilation:Good general ventilation should be sufficient to control airborne levels.Respirator Protection:NIOSH respirator - in absence of proper environmental controls.Skin Protection:Use Nitrile/ Vinyl gloves. Clean, body-covering clothing.Eye Protection:Wear safety glasses with side shields or goggles.

# Section 9: Physical and Chemical Properties

Boiling Point:	Not Available	Vapor Pressure (mmHg @ 68°F):	Not Available
Vapor Density:	Not Available	Solubility in Water:	Will mix with water
Specific Gravity:	0.980	Melting Point:	Not Available
% Volatile:	80-90	pH:	~8.5-9.8
Appearance/Odor:	Beige Creamy Liquid, Bland Odor.		

# Section 10: Stability and Reactivity

Stability:StableMaterials to Avoid:Not AvailableHazardous Polymerization: NoConditions to Avoid:Combustible liquid. Keep away from heat and open flame.Hazardous Decomposition Products:Carbon Monoxide and Carbon DioxideCombustible liquid. Keep away from heat and open flame.

#### Section 11: Toxicology Information

IARC, NTP, OSHA Carcinogen: None

#### Section 12: Ecological Information

Not Available

#### Section 13: Disposal Considerations

Waste Disposal: Dispose of in accordance with federal, state and local regulations.

#### Section 14: Transport Information

D.O.T. REQUIREMENTS (49CFR 172.101): Not regulated in quantities less than 119 gallons except when shipped by vessel or aircraft. (29CFR173.150) UN1993, Flammable Liquid N.O.S., 3, PG III, (Petroleum Distillates)

#### Section 15: Regulatory Information

RQ (REPORTABLE QUANTITY) 49CFR 172.10	1:	None			
TSCA (Toxic Substances Control Act) Status:		The intentional ingredients of this product are listed.			
CERCLA RQ - 40CFR 302.4:		None			
SARA 302 COMPONENTS - 40CFR 355 Appen	dix A:	None			
SECTION 311/312 HAZARD CLASS - 40CFR 3	70. <u>2</u>				
Immediate (X)		Reactive	()		
Delayed (X)		Sudden Release o	of Pressure ()		
Fire (X)					
SARA 313 COMPONENTS - 40CFR 372.65:		None			
CALIFORNIA PROPOSITION 65:		None			
WORKPLACE HAZARDOUS INFORMATION S	<u>YSTEM (WHMIS)</u>				
Ingredient		Max. % By Wt.	<u>LD50</u>	<u>LC50</u>	
Mineral Spirits	64475-85-0	15-20	Oral Rat - > 34600mg/kg	Not Established	
Distillates (petroleum) Hydro Treated Light	64742-47-8	5-10	Oral Rat - > 5 g/Kg	Not Established	
		Page 2 of 3			

Odorless Mineral Spirits	64742-48-9	1-5	Not Established	Not Established
Amorphous Silica	61790-53-2	10-15	Not Established	Not Established

Section 16: Other Information Although the information contained herein is believed to be reliable, it is furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage.