

# **TELECHEM CORPORATION**

# Safety Data Sheet 21 Guns Super Concentrate

## **SECTION 1: Identification**

### 1.1 Product identifier

Product name 21 Guns Super Concentrate

Product number MN6002 Brand Telechem

### 1.2 Other means of identification

CLEAR RED LIQUID WITH CLEAN ODOR.

# 1.3 Recommended use of the chemical and restrictions on use

CLEANER AND DEGREASER SUPER CONCENTRATE.

# 1.4 Supplier's details

Name Telechem Corporation
Address 6477-D Peachtree Industrial

Atlanta, GA 30360

US

 Telephone
 770-451-7117

 Fax
 770-451-7758

 email
 info@telechem.com

## 1.5 Emergency phone number(s)

INFOTRAC 1-800-535-5053

### **SECTION 2: Hazard identification**

#### 2.1 Classification of the substance or mixture

GHS classification in accordance with OSHA (29 CFR 1910.1200)

### 2.2 GHS label elements, including precautionary statements

**Pictogram** 



Signal word Warning

Precautionary statement(s)

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing. Contact physician

if irritation persists.

P301 IF SWALLOWED: DRINK LARGE VOLUMES OF MILK OR OTHER LIQUID.

CALL PHYSICIAN IMMEDIATELY

P102 Keep out of reach of children.

### Other hazards which do not result in classification

# **SECTION 3: Composition/information on ingredients**

#### 3.2 **Mixtures**

# **Hazardous components**

### 1. ETHYLENE GLYCOL MONOBUTYL ETHER

Concentration 2 - 5 %

2-BUTOXY-1-ETHANOL; 2-BUTOXYETHANOL; 3-OXA-1-HEPTANOL; Other names / synonyms

> BUCS; BUTOXYETHANOL; BUTYL CELLOSOLVE; BUTYL GLYCOL; BUTYL OXITOL; DOWANOL EB; EKTASOLVE EB; Ethanol, 2-butoxy-; ETHYLENE GLYCOL MONOBUTYL ETHER; ETHYLENE GLYCOL N-BUTYL; ETHYLENEGLYCOLMONOBUTYLETHER; GAFCOL EB; GLYCOL BUTYL ETHER: GLYCOL ETHER EB: GLYCOL ETHER EB

ACETATE; GLYCOL MONOBUTYL ETHER; JEFFERSOL EB;

MONOBUTYL ETHER OF ETHYLENE GLYCOL; MONOBUTYL GLYCOL

ETHER: N-BUTOXYETHANOL; O-BUTYL ETHYLENE GLYCOL;

POLY-SOLV EB; UN 2369

EC no. 203-905-0 111-76-2 CAS no. Index no. 603-014-00-0

- Acute toxicity (chapter 3.1), Cat. 4

- Eye damage/irritation (chapter 3.3), Cat. 2A

- Skin corrosion/irritation (chapter 3.2), Cat. 2

H302 Harmful if swallowed Harmful in contact with skin H312 H315 Causes skin irritation Causes serious eye irritation H319

H332 Harmful if inhaled

### 2. Sodium metasilicate pentahydrate

Concentration 1 - 2 %

Crystamet; disodium metasilicate; Silicic acid (H2SiO3), sodium salt (1:2); Other names / synonyms

Sodium metasilicate pentahydrate; Sodium silicate hydrate

EC no. 229-912-9 CAS no. 6834-92-0

Index no. 014-010-00-8

- Skin corrosion/irritation (chapter 3.2), Cat. 1B

- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

3. MONOETHANOLAMINE

Concentration 1 - 2 %

Other names / synonyms 1-AMINO-2-HYDROXYETHANE; 2-AMINO-1-ETHANOL;

2-AMINOETHANOL; 2-AMINOETHYL ALCOHOL; 2-ETHANOLAMINE; 2-HYDROXYETHANAMINE; 2-HYDROXYETHYLAMINE; AMINOETHANOL;

BETA-AMINOETHANOL; BETA-AMINOETHYL ALCOHOL;

BETA-ETHANOLAMINE; BETA-HYDROXYETHYLAMINE; COLAMINE; Ethanol, 2-amino-; ETHANOLAMINE; ETHANOLAMINE SOLUTION; ETHYLOLAMINE; GLYCINOL; MEA; MONOETHANOLAMINE; OLAMINE;

THIOFACO M-50; UN 2491; USAF EK-1597

EC no. 205-483-3 CAS no. 141-43-5 Index no. 603-030-00-8

- Acute toxicity (chapter 3.1), Cat. 4

- Skin corrosion/irritation (chapter 3.2), Cat. 1B

H302 Harmful if swallowed
H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H332 Harmful if inhaled

4. Methanol

Concentration 1 - 2 %

Other names / synonyms CARBINOL; COLONIAL SPIRIT; COLUMBIAN SPIRIT; meoh; METHANOL;

METHYL ALCOHOL; METHYL HYDROXIDE; METHYLALCOHOL;

METHYLOL; MONOHYDROXYMETHANE; NA 1230 (DOT); PYROXYLIC

SPIRIT; RCRA WASTE NUMBER U154; UN 1230 (DOT); WOOD

ALCOHOL; WOOD NAPHTHA; WOOD SPIRIT

EC no. 200-659-6 CAS no. 67-56-1 Index no. 603-001-00-X

- Flammable liquids (chapter 2.6), Cat. 2 - Acute toxicity (chapter 3.1), Cat. 3

- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 1

H225 Highly flammable liquid and vapor

H301 Toxic if swallowed

H311 Toxic in contact with skin

H331 Toxic if inhaled

H370 Causes damage to organs

### Trade secret statement (OSHA 1910.1200(i))

EXACT CHEMICAL COMPOSITION IS A TRADE SECRET.

### **SECTION 4: First-aid measures**

### 4.1 Description of necessary first-aid measures

General advice CONTACT WITH EYES WILL RESULT IN IRRITATION. PROLONGED

CONTACT WITH SKIN MAY RESULT IN IRRITATION.

If inhaled MOVE TO WELL VENTILATED AREA, IF IRRITATION PERSISTS, CALL

PHYSICIAN.

In case of skin contact FLUSH WITH WATER, IF IRRITATION PERSISTS, CALL PHYSICIAN.

In case of eye contact FLUSH WITH WATER, IF IRRITATION PERSISTS, CALL PHYSICIAN.

If swallowed DRINK LARGE VOLUMES OF MILK OR OTHER LIQUID, CALL PHYSICIAN

IMMEDIATELY.

# **SECTION 5: Fire-fighting measures**

### 5.1 Suitable extinguishing media

1) DRY CHEMICAL; 2) FOAM; 3) CO2.

## 5.3 Special protective actions for fire-fighters

SPECIAL FIREFIGHTING PROCEDURES: NONE.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

RESPIRATORY PROTECTION: NOT REQUIRED VENTILATION: MECHANICAL, (GENERAL) PROTECTIVE GLOVES: FOR PROLONGED USE

EYE PROTECTION: SAFETY GLASSES WITH SIDE SHIELDS

#### 6.3 Methods and materials for containment and cleaning up

SMALL SPILLS: WIPE UP PRODUCT, RINSE SOILED AREA WITH WATER DOWN THE DRAIN. LARGE SPILLS: STOP LEAK AT THE SOURCE AND COLLECT INTO A SUITABLE CONTAINER, THEN TREAT AS A SMALL SPILL. FOLLOW STATE AND LOCAL REGULATIONS FOR DISPOSAL OF LARGE NON- RECLAIMABLE SPILLS.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

RESPIRATORY PROTECTION: NOT REQUIRED VENTILATION: MECHANICAL, (GENERAL) PROTECTIVE GLOVES: FOR PROLONGED USE

EYE PROTECTION: SAFETY GLASSES WITH SIDE SHIELDS

## 7.2 Conditions for safe storage, including any incompatibilities

ALWAYS STORE UNUSED PORTION IN ORIGINAL CONTAINER WITH CAP SECURE.

AS WITH ALL CHEMICALS, USE WITH DUE CARE ACCORDING TO LABEL INSTRUCTIONS AND PRECAUTIONS.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

**1. 2-Butoxyethanol (CAS: 111-76-2)** PEL (Inhalation): 50 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

**2. Ethanolamine (CAS: 141-43-5)** PEL (Inhalation): 3 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

3. METHYL ALCOHOL (CAS: 67-56-1 EC: 200-659-6)

PEL-TWA: 200 ppm (ACGIH)

8.2 Appropriate engineering controls

VENTILATION: MECHANICAL, (GENERAL).

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

EYE PROTECTION USE SAFETY GLASSES WITH SIDE SHIELDS

Skin protection

PROTECTIVE GLOVES FOR PROLONGED USE

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Appearance/form CLEAR RED LIQUID
Odor CLEAN ODOR

Odor threshold N/A pH 12.5

Melting point/freezing point FREEZING POINT 32 DEGREES FAHRENHEIT

Initial boiling point and boiling range 205 DEGREES FAHRENHEIT

Flash point N/A
Evaporation rate 25
Flammability (solid, gas) N/A

Upper/lower flammability limits Upper/lower explosive limits

Vapor pressure 26.8 MM HG

Vapor density NE Relative density 1.06

Solubility(ies) COMPLETE IN WATER

Partition coefficient: n-octanol/water

Auto-ignition temperature NE

Decomposition temperature

Viscosity

Explosive properties NONE

Oxidizing properties

## **SECTION 10: Stability and reactivity**

### 10.2 Chemical stability

**STABLE** 

### 10.3 Possibility of hazardous reactions

NONE

## 10.5 Incompatible materials

STRONG ACID

# **SECTION 11: Toxicological information**

### Information on toxicological effects

### **Acute toxicity**

THIS PRODUCT IS NOT ANTICIPATED TO HAVE A TLV.

#### Skin corrosion/irritation

PROLONGED CONTACT WITH SKIN MAY RESULT IN IRRITATION.

#### Serious eve damage/irritation

CONTACT WITH EYES WILL RESULT IN IRRITATION.

#### Respiratory or skin sensitization

PROLONGED INHALATION MAY CAUSE IRRITATION

### Reproductive toxicity

This product does not contain any chemicals present at levels known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### Summary of evaluation of the CMR properties

OSHA, NTP, IARC: No component of this product present at levels identified as a carcinogen or potential carcinogen.

### **SECTION 12: Ecological information**

#### **Toxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

# **SECTION 13: Disposal considerations**

#### Disposal of the product

SMALL SPILLS: WIPE UP PRODUCT, RINSE SOILED AREA WITH WATER DOWN THE DRAIN. LARGE SPILLS: STOP LEAK AT THE SOURCE AND COLLECT INTO A SUITABLE CONTAINER, THEN TREAT AS A SMALL SPILL. FOLLOW STATE AND LOCAL REGULATIONS FOR DISPOSAL OF LARGE NON- RECLAIMABLE SPILLS.

### **SECTION 14: Transport information**

DOT (US)

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations specific for the product in question

### **SARA 313 Components**

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community

Right-To-Know Act of 1986 and of CFR 372.

CAS# Chemical Name % By Weight

111-76-2 Glycol Ethers <5 67-56-1 Methanol <2

## **SECTION 16: Other information**

NFPA: HEALTH- 2 HMIS: HEALTH- 2

FIRE - 0 FLAMMABILITY- 0 REACTIVITY - 0